

MVS35 X

TABLETOP VACUUM - SEALING BAR 310 MM

TABLETOP VACUUM MACHINE



DESCRIPTION

The new MVS35 X chamber vacuum sealer model was refurbished.

Strengths:

- Aesthetics
- Display/Front control panel

The collaboration with important chefs in the realisation of the machine and the design of the display has allowed to enrich the functions offered by the control panel, taking into consideration the specific needs of professional users.

In this chamber vacuum sealer, the kit for the insertion of inert gases is also provided as optional.

The command panel allows you to set up to 10 custom programs. The display alerts in case of need for oil



change.

The tactile control keypad is adhesive and glued on the front of the bodywork, in order to prevent liquids from entering the card.

The **vacuum packing machine** is equipped with an electronic sensor of the latest generation, which interprets the data directly from the board, reading the degree of vacuum realised inside the chamber; you can also calibrate the machine, once positioned in its location, to correct any variations in atmospheric pressure at different altitudes.


All the **chamber vacuum sealers** by **minipack®-torre** are equipped with safety boards against the risk of overheating of the welding rods.

TECHNICAL FEATURES

Electrical power supply	V	120/230
Phase	ph	1
Dimensions of the sealing bars	mm	310" (no.1 front)
Packaging cycle (Vacuum 99,9%)	sec.	Vacuum =7 - Air re-immission =7
Vacuum pump	mc/h	10
Machine dimensions with the lid open	mm	390x617x h.634
Machine dimensions with the lid closed	mm	390x617x h.317
Machine weight (Net/Gross)	kg	45/53
Available chamber dimensions (Tank+lid)	mm	325x243.5 h.184

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

TECHNICAL DRAWING







TECHNICAL FEATURES

- o Stainless steel (AISI 304)
- o Vacuum cycle with stop
- o Bag scrap cutting device
- o Quick-coupling aluminium sealing bar
- o Clear plastic lid suitable for use with food
- o Volumetric vacuum sensor
- o PE-HD filling tables
- o 10 customisable programs
- o Self-calibration
- o Sealing bar overload safety device
- o Oil and assistance warning light
- o CE/ETL/NSF certification.