

MFC-L2710DW

brother  
at your side

Uncompromised

Speed • Reliability • Ease • Affordability  
Precision • Paper Handling • Quietness • Size • Connectivity • Support



[www.brother.com.au](http://www.brother.com.au)

# Compact 4-in-1 Monochrome Laser Printer

The MFC-L2710DW is ideal for the busy home and small office. This simple to use and easy to setup device, provides professional quality prints, together with built-in wired and wireless connectivity for printing from mobile phones and tablets.

## MFC-L2710DW



## Key Features:

- Fast print speeds of up to 30 pages per minute
- Automatic (duplex) print print
- 250 sheet paper input
- 50 sheet Automatic Document Feeder
- Built in wired and wireless connectivity
- Up to 3,000 page optional high-yield toner
- 64MB memory

## Business Performance

Successor to the BLI Pick Award winning 'MFC-L2700DW', the MFC-L2710DW is designed to be set-up and ready to be used in minutes. Compact and desktop friendly, you can enjoy fast print speeds of up to 30 pages per minute, and a large 50 sheet Automatic Document Feeder for multi-page copying and scanning. Easily share documents by scanning and sending directly via email, or save to SharePoint and other destinations.

## Maximum value for money

The wireless MFC-L2710DW comes with a host of cost saving elements including automatic 2-sided (duplex) printing and high-yield toner cartridge that reduces the cost of each print job.

## Quiet without compromise

Print quietly without compromising on speed or quality, operating at the lowest decibel in its class (under 50dB). This desktop friendly printer, can sit on your desk, printing quietly at full speed in the background, while you work.

## Designed to go the distance

Built to perform for longer, the MFC-L2710DW has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, Brother's award winning\*\* reliability allows you to deliver uncompromised performance at all times.



\*\* Brother is the winner of PC Mag Readers Choice Award for 9 years in a row and Business Choice Award for 5 years in a row.

## General

### Technology

Electrophotographic  
Laser Printer

### Laser Classification

Class 1 Laser Product  
(IEC60825-1:2014)

### Processor

600MHz

### Memory

64MB

### Wired Network Interface

10Base-T/100Base-TX

### Wireless Network

IEEE 802.11b/g/n

### Control Panel

2 Line, 16 character  
LCD Display

### Local Interface

Hi-Speed USB 2.0

## Print

### Print Speed Standard (A4)

Up to 30ppm  
(pages per minute)

### Print Speed 2-sided (duplex) (A4)

Up to 15 sides per minute  
(8 sheets per minute)

### Resolution

Up to 1,200 x 1,200dpi

### Quiet Mode

A mode to reduce the printing noise by reducing the print speed to 13ppm

### Automatic 2-sided (duplex) Printing

Print on to both sides of the paper

### FPOT (First Print Out Time)

Less than 8.5 seconds from ready mode

### Warm Up Time

Less than 9 seconds from sleep mode

### Print Languages

GDI

## Printer Functions

### N-up Printing<sup>3</sup>

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

### Poster Printing<sup>4</sup>

Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages

### Watermark Printing<sup>4</sup>

Watermark your documents with predefined text or with your own user-defined messages

### ID Printing<sup>4</sup>

Add identification to your printed documents (date & time, short custom message or PC username)

### Manual 2-sided (duplex) Print<sup>4</sup>

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

### Booklet Printing<sup>4</sup>

Print documents in A5 booklet format using automatic or manual 2-sided print

### Print Profiles<sup>3</sup>

Store your favourite driver settings as profiles to easily recall them

### Print Text In Black<sup>4</sup>

Converts all text in your documents to black when printed

### Print Archive<sup>4</sup>

An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file

## Printer Driver

### Windows<sup>®</sup>

Windows<sup>®</sup> 10  
(32 & 64 bit editions)  
Windows<sup>®</sup> 8  
(32 & 64 bit editions)  
Windows<sup>®</sup> 7  
(32 & 64 bit editions)  
Windows<sup>®</sup> Server 2016  
(32 & 64 bit editions)\*  
Windows<sup>®</sup> Server 2012,  
2012R2 & 2008R2\*  
Windows<sup>®</sup> Server 2008  
(32 & 64 bit editions)\*

### Macintosh<sup>5</sup>

Mac OS X 10.10.5 or greater

### Linux<sup>5</sup>

CUPS, LPD/LPRng  
(32 & 64 bit editions)

\* Windows<sup>®</sup> Server supports network printing only

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows<sup>®</sup> & Mac<sup>®</sup> only.

4 Windows<sup>®</sup> only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Standard Paper Handling

### Paper Input<sup>2</sup>

Standard Tray - 250 sheets  
Manual feed slot - 1 sheet

### Automatic Document

Feeder (ADF) – 50 Sheets

### Paper Output<sup>2</sup>

Face Down - 120 sheets  
Face Up - 1 sheet  
(Straight Paper Path)

## Media Specification

### Media Types & Weights Standard

Plain & recycled paper  
(between 60 - 163g/m<sup>2</sup>)

### Manual feed slot

Plain, Recycled, Bond,  
Label, Envelope,  
(between 60 - 230g/m<sup>2</sup>)

### 2-sided (duplex) Print

Plain & recycled paper  
(between 60 - 105g/m<sup>2</sup>)

### Envelope & Label Printing

Yes, from the Manual feed slot:  
support for 1 envelope / sheet

### Media Sizes

#### Standard Tray

A4, Letter, A5, A5 (Long Edge),  
A6, Executive

#### Manual feed slot

Width: 76.2mm to 215.9mm x  
Length: 127mm to 355.6mm

#### 2-sided (duplex) Print

A4

## Mobile / Web Based Printing & Scanning

### Brother iPrint&Scan (Android)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device

### Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch

### Brother iPrint&Scan (Windows® Phone)

Print from and scan to a smart phone running the Windows® Phone Operating System

### Brother Print&Scan (Windows® 8,10 & RT)

Print from and scan to a Windows® 8,10 or Windows RT Tablet

### Google Cloud Print 2.0

Print most common file types from any Google Cloud Print enabled application

### Apple AirPrint

Print from and scan to most common file types from any AirPrint enabled application

### Brother Print Service Plugin

Print from Android devices without a dedicated App

### Mopria

Print most common file types from Mopria supported Android devices

## Copy

### Speed (A4)

Up to 30cpm  
(copies per minute)

### FCOT (First Copy Time Out)

Less than 10 seconds from ready mode

### Resolution

Up to 600 x 600dpi

### Multi-Copying/Stack/Sort

Makes up to 99 copies of each page / Stacks or Sorts

### Enlargement/Reduction Ratio

Reduce or Increase document sizes from 25% to 400% in 1% increments

### N in 1 Copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet

### 2in1 ID Copying

Allows the user to copy both sides of an ID card to a single A4 sheet

### Grey Scale

256 shades of grey (8 bit)

### Receipt Copying

Produces clearer copies of receipts

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Scan

### Scanner Type

CIS (Contact Image Sensor)

### Colour & Monochrome Scanning

Yes

### Scan Speed Monochrome

23.6ipm (images per minute)

### Scan Speed Colour

7.5ipm (images per minute)

### Scan Resolution from ADF

Up to 600 x 600dpi

### Scan Resolution from Scanner Glass

Up to 1,200 x 1,200dpi

### Interpolated Scan

#### Resolution

Up to 19,200 x 19,200dpi

#### Colour Depth

16,777,216 colour variations (24 bit)

#### Grey Scale

256 shades of grey (8 bit)

#### Standard Functions<sup>7</sup>

Scan to Email Client, OCR, Image & File

### Scan Features

Remove Background, Skip Blank Page<sup>4</sup>, ID Scan<sup>4</sup>, 1 to 2 Scan<sup>4</sup>, Split PDF

### Scan to SharePoint<sup>4&7</sup>

Scan documents directly into SharePoint

### Windows® Web Services Scanning

Scan direct into Windows® (from Windows® 7 & onwards) without needing to install a scanner driver

## Scanner Driver

### Windows®

TWAIN & WIA  
Windows® 10 (32 & 64 bit editions)  
Windows® 8.1 (32 & 64 bit editions)  
Windows® 8 (32 & 64 bit editions)  
Windows® 7 (32 & 64 bit editions)

### Macintosh<sup>5</sup>

TWAIN & AirPrint  
MAC OSX 10.10.5 or greater

### Linux<sup>5</sup>

SANE(32 & 64 bit editions)

## Fleet Management Tools

### Unattended Installer<sup>4</sup>

Ability to centrally deploy and customise Brother drivers and software

### MSI Installer<sup>4</sup>

Modular installers that can be distributed through Active Directory®

### BRAdmin Light<sup>4&5</sup>

LAN/WAN management software

### Embedded Web Server

Web based print management software embedded onto the device

### Driver Deployment Wizard<sup>4</sup>

Easily create print drivers for hassle free deployment over your network

## Address Book

### Speed Dials

200 locations for fax numbers

### Group Dial

A combination of up to 20 groups can be stored for broadcasting

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Network and Security

### Wired Network

Built in Ethernet 10Base-T/100Base-TX

### Network Protocols

TCP/IP (IPv4 and IPv6)

### Wired Network Security

SMTP-AUTH, SNMP v3, SSL/TLS (SMTP, HTTP, IPP)

### Wireless Network

IEEE 802.11b/g/n  
(Infrastructure Mode / Adhoc Mode)

### Wireless Set-Up Support

Wi-Fi Protected Setup (WPS)

### Wireless Applications

Vertical Pairing

### IPv4

ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print), SNTP Client

### IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print)

### E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

### E-mail Reports

Receive usage reports on a regular basis via e-mail

### IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

### Setting Lock

Secures access to the device's control panel by locking it

## Supplies

### In-box Toner

700 pages<sup>1</sup>

### Standard Yield Toner

1,200 pages<sup>1</sup> (TN-2430)

### High Yield Toner

3,000 pages<sup>1</sup> (TN-2450)

### Drum (DR-2425)

Approx 12,000 pages

### Carton Contents

In-box Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (USB cable NOT included)

## Dimensions and Weights

### With Carton (WxDxH)

580 x 517 x 434 mm - 14.7kg

### Without Carton (WxDxH)

410 x 398.5 x 318.5 mm - 11.8kg

## Duty Cycles

### Recommended Monthly

Up to 2,000 pages monthly print volume

<sup>1</sup> Approx declared yield value in accordance with ISO/IEC 19752.

<sup>2</sup> Calculated with 80g/m<sup>2</sup> paper.

<sup>3</sup> Windows® & Mac® only.

<sup>4</sup> Windows® only.

<sup>5</sup> Optional download.

<sup>6</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

<sup>7</sup> Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Environment

### Power Consumption

Printing - 440W (260W in quiet mode),  
Ready - 42W,  
Sleep - 6.2W,  
Deep sleep - 0.6W,  
Off - 0.03W

### TEC Value

1.232kWh / Week

### Sound Pressure Level

Printing  
48dB<sub>A</sub>,  
Quiet mode printing  
44dB<sub>A</sub>,  
Ready  
Up to 30dB<sub>A</sub>

### Power Saving

This enables the printer to consume less energy when not in use

### Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

### Energy Star

Yes

### Eco Mode

Yes

## Fax

### Fax Modem

33,600bps (Super G3)

### PC Fax Send<sup>9&3</sup>

Send faxes directly from your PC

### PC Fax Receive<sup>9&4</sup>

Receive faxes directly to your PC

### Automatic Redial

Automatic redialling if the recipient fax is busy

### Telephone Index

An electronic, alphabetical listing of stored speed dials and group numbers

### Chain Dialling

Allows the user to store parts for long dialling sequences in different speed dial locations

### Speaker / Ring Volume

3 levels and off

### Fax / Tel Switch

Automatic recognition of fax and telephone reception

### Super Fine

Enables quality transmission of very small print and line drawings

### Contrast

Auto / light / dark

### Enhanced Remote Activate

Transfer a fax call, answered on an extension phone, to the fax machine

### Delayed Timer

Up to 50 faxes

### Quick-Scan

Approximately 2.5 seconds per page A4 standard resolution

### Memory Transmission

Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)

### Out of Paper Reception

Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)

### Dual Access

Send the same fax message to up to 250 separate locations (manual 50 locations)

### Broadcasting

Receive usage reports on a regular basis via e-mail

### Auto Reduction

When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet

### ECM

#### (Error Correction Mode)

The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)

### Fax Forwarding

Sends a fax received in memory to another pre-programmed fax number

### Remote Access

Allows users to remotely access their machine

### Fax Retrieval

Allows remote access to faxes stored in the machine

### Remote Maintenance

Allows users to maintain their MFC remotely

### Remote Set-Up<sup>3</sup>

Allows users to set-up the MFC from their PC

### Grey Scale

256 shades (8 bit) of grey are available for faxing

### Fax Stamp

Add the date and time to all received faxes

### Cover Page

Create custom cover pages for outgoing faxes

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Brother  
Earth

### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

[www.brotherearth.com](http://www.brotherearth.com)

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**brother**  
at your side