

> PRINT > COPY > SCAN > FAX

TASKalfa 3212i TASKalfa 4012i

MONOCHROME MULTIFUNCTION PRODUCT FOR A4/A3 FORMAT





The new TASKalfa mono series is a truly reliable A3 monochrome MFPs for small to medium sized workgroups in any businesses or professional workplaces where high productivity, high reliability and optimal investments are required.

- > Fast A4 copy/print speed up to 32/40 cpm
- > High image quality with 1,200 x 1,200 dpi printing resolution
- > Superior scanning performance with dual scan speed up to 160/160 ipm A4 Mono/Color*
- > Fast copy time in just 3.6 seconds** & warm up time of 18 seconds
- > 320GB*** hard disk capacity and 2GB RAM to meet heavy-duty tasks without additional hard drive
- > Convenient with inner Job Separator as standard

* Optional DP-7110 required. ** TASKalfa 4012i only. ***Optional for TASKalfa 3212i.





Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Keep Productivity Flowing

This reliable multifunctional device eases workflow significantly with high flexibility and productivity. With a wide range of innovative solutions, it is perfectly suitable for demanding desktop users and small workgroups.





Impressive COPY/PRINT/SCAN/FAX

Copy

Skip Blank Page: Copy/scan to save unnecessary cost by skipping blank pages.



• Job Finish Notice: Send email notification to the specific user when a Copy/Scan job is completed.




• Prevent Bleed-thru: Remove unwanted background when Copy/Scan a printed double-sized thin paper (e.g. newspaper, NCR paper, and magazine).




Print

. Job Skip: Automatically prioritize the error print job to avoid the machine come to a halt in case of



Scan

• USB Scan to/Direct Print: Scan to/print directly from USB Memory in PDF/Compression PDF/TIFF/JPEG/XPS format.



 Scan to Searchable PDF function (Optional): Easily search the

EASY text inside PDF files after scanning the hardcopy document and convert text via OCR function.




· High Compressed PDF Size: Adopt new image analysis technology to achieve smaller file size.



• Scanned Image File Size Check: Check the size of the scanned document does not exceed limit before sending e-mail.



• FTP/SMB/Email/Fax Multi-Sending: Send document to different destinations (email addresses, folders, etc.) in a single scan operation.



Fax

· Simple Fax Forwarding: Forward incoming fax to other destinations by Email, SMB or FTP (Optional).



· i-FAX Sending (Optional): Send and receive i-FAX without the mail service by installing Direct SMTP function.





User-Friendly

- Excellent Clarity 9-inch Color Touch Panel:
- With swivel type operability similar to smartphone and tablet.
- Tiltable from 15° to 90°.







• Easy-to-Use Keypad:

Type in with easy with on-screen virtual numeric keypad (hardware keypad is optional).






• Convenient Home Screen:

- All commonly used functions and applications are found.
- Customize easily to meet different needs of users/group users.



• Intuitive Printer Driver's Quick Print Tab:

Create and save frequently used custom profiles as graphic icons to allow programming of complex jobs in one click.



• Easy-to-Reach Custom Box:

Provide long-term job storage at a device, allowing users to securely print and store jobs on the device and output them when required.



• Low Power Consumption Mode:

- Adopt spot conduction for intelligent recovery system by activating only the areas of the device required for the operation.



- Choose recovery priority mode/power priority mode based on different needs.



Access Securely and Quickly with Mobile & Cloud Solutions



- · Simplify Document Workflow KYOCERA Mobile Print:
 - Print documents/webpages/image from virtually anywhere, on Apple/Android smartphone/tablet to designated KYOCERA MFPs and printers.
 - Scan files and images from same MFPs to mobile devices.
 - Support AirPrint for iPhone and iPad.



• Print Anywhere KYOCERA Cloud Connect (Optional):

- Retrieve and print files in Google Drive/Evernote®, directly from any KYOCERA HyPAS-enabled MFPs.
- Upload scanned files to Google Drive/Evernote®, directly from the MFP (without using a computer).




• Powerful KYOCERA Fleet Services (Optional):

- Overview of all the devices status and receive notifications via the cloud.
- Preempt and plan for maintenance needs.



· Intuitive KYOCERA MyPanel:

- Use smartphone/tablet to connect a compatible networked KYOCERA printing device on local Wi-Fi network wirelessly.
- Perform COPY/PRINT/SCAN from Custom Box/ Cloud# by mobile devices with personalizing settings.



*Cloud Application Supported: Dropbox, Evernote, OneDrive

• Support Gmail and Hotmail Public Mail Services:

Scan documents to email accounts from the device and automatically print documents directly from accounts.



Support WiFi Direct:

- Require IB-36 Wireless LAN (Optional)



- Makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.



Data and Document Security


 Confidential Printing with Private Print: Release print job at the device by entering a preset four-digit access code when making a print at KYOCERA KX Driver.



 Secure with Password Protection Setting: Allow administrator to set Password Policy to limit user access to designated capacity.



 Strong Network Authentication: Access and manage information through network authentication for Windows Server using Kerberos or NTLM.



 Safe FAX Memory Overwrite (Optional): Erase FAX memory after sending or receiving for confidentiality.



 IPv6 Ready: Compatible with future network infrastructures as supporting IPv6.




 Effective Card Authentication (Optional IC Card Reader): Control access and manage with predefined user restrictions such as maximum amount of output restrictions.



 Security Watermark: Distinguish originals from photocopies and provide protection for the sensitive document.



 Intuitive M-Files (Optional): Easily find and manage all information e.g. documents, projects and business processes etc, as well as add intelligence by combining it with information from other systems (like SharePoint, Salesforces and SAP).



 Highly Reliable KYOCERA Data Security Kit (Optional): Encrypt data before storing in the hard disk and automatically overwrite all unnecessary data stored on the hard drive.



 Secure Socket Layer (SSL) Data Security Protocol: Prevent eavesdropping and tampering by enhancing secure communication for remote configuration and data retrieval.





Simplify Administration Process

Provide real ease-of-use to all users and administrators.


 Web-Based KYOCERA Command Center RX: Check the operation status of the device, toner level, paper availability, as well as change settings related to security, network printing and advanced network setting etc.





- Comprehensive KYOCERA Net Viewer (Device Management & Reporting):
 - Monitor, maintain, and update up to 100 network printing devices locally and remotely.
- Simply install and update the firmware on all KYOCERA network connected devices while easily monitoring printed pages, device configuration, accounting, toner usage, and alerts.
- Greatly reduce the manpower required to monitor connected devices.





- Well-Structured KYOCERA Net Manager (Optional):
- Protect confidential data, manage & control the overall output (copy/print/scan) and get detailed reports
- Users: Simplify the process by overviewing personal printing jobs with personalized settings web browser.
- Card Authentication Kit (Optional): Get print document directly and allow quick and secure access settings with pre-defined user restrictions such as output quota











Go for the Green Future

Green Design

- Weekly Timer: Preset the machine on and off time to maximize power savings.
- LeoPrint: Consume less energy and toner.
- **Intercology Saver:** 1.0W or less power consumption at Priority Energy Saver Mode.
- Long Life Mega Surface Amorphous Silicon (a-Si) Drum, Developer and Replacement parts.
- Large capacity toner for maximum uptime and less wastage.
- Parts for Recycling.
- Non-toxic Materials.
- Quiet operation design for a comfortable working environment.







Eco Mark (Japan)

EcoLeaf Environmental Label (Japan)

Law on Promoting Green Purchasing (Japan)

KYOCERA aims at providing safe and comfortable products which have minimum environmental impact by acquiring various environmental labels.

Model				ifications
	Model		TASKalfa 3212i	TASKalfa 4012i
Main Function			Copy, Print, Scan, Fax (Optional)	
Writing Method			Semiconductor Laser	
CPU			T1024 (Dual C	
Print Speed (A4)	Simplex (Mono)		32 ppm	40 ppm
Scanning Speed		Simplex	80 / 80	or Vertical
(A4) 300dpi	(Mono / Color)		48 / 48	·
Scanning Speed (A4)	DP-7110 (Mono / Color)	Simplex	80 / 80	300 () () () () () () () () () (
300dpi Dual Scan Scanning Speed	Committee and the second	Simplex	160 / 16 48 / 48	
(A4) 300dpi	(Mono / Color)		15 / 19	·
Memory		Duplex	Standard 2GB	The state of the s
SSD / HDD Capacity			32GB (Standard) / 320GB (Optional)	8GB / 320GB (Standard)
Warm Up Time			18 sec	
Paper Capacity Standard			2 x 500 sheets (Cassette) + 100 sheets (MPT)	
Paper Capacity	Maximum		4,100 sheets (Main Unit + PF-810 + MPT)	
Paper Size	Cassette		Min. ASR - Max. A3 (Ledger)	
Karat alaa	MPT		Min. A6R - Ma	10.00
Paper Weight	Cassette		60 - 163	
	MPT		45 - 256 g/m²	
Duplex Printing			Paper size: A5R - A3 / Ledger; Paper weight: 60 - 163 g/m² 250 sheets + 50 sheets (with Inner Joh Senarator) face down	
Output Capacity Control Panel			250 sheets + 50 sheets (with Inner Job Separator) face-down 9 inch Color Touch LCD Panel	
Dimension (W x D x H) (Main Unit)			59 Inch Color Fouch LCD Panel 594mm x 695mm x 683mm	
Weight (Main Unit) / Power Source			Approx. 59 kg / 240V 50Hz	
Power Copy / Print Mode		de	510W or less	600W or less
Consumption (Standard	Stand-by Mode		100W (96/31 20 212/9/002
configuration)	Energy Saver		1.0W c	
Noise (ISO7779 /	Copy / Print Mod	de	66.0dB(A)	67.0dB(A)
ISO9296)	Stand-by Mode		43dE	11/1/2
Safety Standard : GS/	/TUV/CE			ard and ISO 14001 environmental standard. RoHs compatibility
			Copy Function	ns (Standard)
Copy Size / Resolution	n / Multiple Copy		Max. A3 (Ledger) - Min. A6	
First Copy Time	Manual		4.3 seconds	3.6 seconds
Zoom Ratio	Predefined		25% - 400%	M. 12
Predefilled			SRSE Print Functions (Standard)	
Resolution			9,600 Equivalent x 600 dpi; 1,200 x 1,200 dpi	
PDL			PRESCRIBE, PCL6 (PCL-5e, PCL-XL), KPDL3 (PostScript 3 compatible), XPS, OpenXPS, PDF Direct Print, PPML	
First Print Out Time			4.9 seconds	4.2 seconds
Supported Protocol			NetBEUI, FTP, Port 9100, LPR,	1100 G 420 No.
			Windows Server 2008, Windows Server	Service and the service and th
Operating System Supported			Windows Vista, Windows 7, Windows 8, Windows 10;	
			Apple Macintosh OS 10.5 or later; Linux	
Interface			USB2.0 High Speed x1; 1000BASE-T / 100BASE-TX / 10BASE-T; USB Host interface (USB Host) x4; NFC TAG x1	
USB Memory Printing / Format			Standard / TIFF, JPEG, PDF, XPS	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Mobile Printing	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		AirPrint, Mopria, KYOO	CERA Mobile Print
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		AirPrint, Mopria, KYOO Encrypted PDF Direct Print, IPP printing, e-mail printing, WS	EERA Mobile Print ED print, secure print, secure printing via SSL, Quick Copy,
Mobile Printing			AirPrint, Mopria, KYOO Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag	EERA Mobile Print D print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint
Mobile Printing			AirPrint, Mopria, KYOO Encrypted PDF Direct Print, IPP printing, e-mail printing, WS	ERA Mobile Print D print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint is (Standard)
Mobile Printing Print Features	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		AirPrint, Mopria, KYOO Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function	ERA Mobile Print D print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White
Mobile Printing Print Features Color Selection			AirPrint, Mopria, KYOC Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Functior Auto Color (Color / Gray); Auto Color (Color /	ERA Mobile Print Deprint, secure printing via SSL, Quick Copy, management functionality, Airprint Standard B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode			AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T	CERA Mobile Print Diprint, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) fext + Photo
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color) 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP	CERA Mobile Print ID print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint IS (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode			AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li	ERA Mobile Print Diprint, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint s (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi impression PDF), PDF/A, Searchable PDF (Optional) fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list)
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage			AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li	EERA Mobile Print ED print, secure print, secure printing via SSL, Quick Copy, ee management functionality, Airprint IS (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) IS (Optional)
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size			AirPrint, Mopria, KYOO Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or TFT 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - M	EERA Mobile Print Diprint, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint ss (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) fin. A5 (Statement)
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Trai	nsmission Speed	al EAV	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address is Fax Function Max. A3 (Ledger) - M MMR, MR, MH,	CERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) Inin. A5 (Statement) IBIG / 33.6kbps
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size	nsmission Speed	al FAX	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storage Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address in Fax Function Max. A3 (Ledger) - M MMR, MR, MH, 170MB / Yes / Yes (Fax Sys	CERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi printersion PDF), PDF/A, Searchable PDF (Optional) Fext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) fin. A5 (Statement) BIG / 33.6kbps stem 12 x 2 units required)
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Trai	nsmission Speed	al FAX	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys	EERA Mobile Print D print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint s (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi impression PDF), PDF/A, Searchable PDF (Optional) fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) lin. A5 (Statement) BIG / 33.6kbps stem 12 x 2 units required) reception, duplex fax reception, memory reception,
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N	nsmission Speed	al FAX	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address is Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint IS (Standard) BBW); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi impression PDF), PDF/A, Searchable PDF (Optional) fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) Ini. A5 (Statement) BIG / 33.6kbps tem 12 x 2 units required) reception, duplex fax reception, memory reception, ax with second fax system
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features	nsmission Speed	al FAX	AirPrint, Mopria, KYOC Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti	EERA Mobile Print ID print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint ss (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) flin. A5 (Statement) BIG / 33.6kbps stem 12 x 2 units required) reception, duplex fax reception, memory reception, ax with second fax system
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features	nsmission Speed letwork FAX / Dua	al FAX	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint ss (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) fin. A5 (Statement) IBIG / 33.6kbps tem 12 x 2 units required) reception, duplex fax reception, memory reception, ax with second fax system ons er Type E
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features	nsmission Speed letwork FAX / Dua	al FAX	AirPrint, Mopria, KYOC Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) din. A5 (Statement) IBIG / 33.6kbps teem 12 x 2 units required) reception, duplex fax reception, memory reception, ax with second fax system ODS er Type E e-path duplex scan Type; DP-7120 : 50 sheets RADF Type
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder	nsmission Speed letwork FAX / Dua		AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Impression PDF, PDF/A, Searchable PDF (Optional) Impression PDF/A, Searchable PDF (Optional) Impr
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor	nsmission Speed letwork FAX / Dua	isher	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheets x2 (A4/Letter); P DF-791: 3,000 sheets Finisher; AK-740: Attachment K	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Impression PDF, PDF/A, Searchable PDF (Optional) Impression PDF/A, Searchable PDF (Optional) Impr
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini	isher	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheets x2 (A4/Letter); P DF-791: 3,000 sheets Finisher; AK-740: Attachment K	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) din. A5 (Statement) BIBG / 33.6kbps stem 12 x 2 units required) reception, duplex fax reception, memory reception, ax with second fax system ons er Type E e-path duplex scan Type; DP-7120: 50 sheets RADF Type FF-810: 1,500 sheets x2 (A4/Letter) it; PH-7C: Punch Unit; MT-730(B): 7 Bin Mail Sorter O: Attachment Kit; PH-7C: Punch Unit
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini	isher	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - M MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment DF-7120: 1,000 sheet Finisher; AK-74 Fax System 12 / In Data Secur	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi impression PDF), PDF/A, Searchable PDF (Optional) impression PDF), PDF/A, Searchable PDF (Optional) impression PDF); PWAIN Scan; WSD Scan st), 500 groups (Group address list) impression St, 500 group address list) impression PDF, St, Searchable PDF (Optional) impression PDF, St, Searchable PDF (Optional) impression PDF/A, Searchable PDF (Optional) impression P
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security Card Authentication	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini FAX	isher isher	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740 Fax System 12 / In Data Secur Card Authentic	CERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Impression PDF, PDF/A, Searchable PDF (Optional) Impression PDF/A Impre
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security Card Authentication Gigabit Ethernet Boal	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini FAX	isher isher	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Card Authentic Data Secu	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi propression PDF), PDF/A, Searchable PDF (Optional) rext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) s (Optional) flin. AS (Statement) lBIG / 33.6kbps stem 12 x 2 units required) reception, duplex fax reception, memory reception, ax with second fax system ons er Type E e-path duplex scan Type; DP-7120: 50 sheets RADF Type IF-810: 1,500 sheets x2 (A4/Letter) it; PH-7C: Punch Unit; MT-730(B): 7 Bin Mail Sorter O: Attachment Kit; PH-7C: Punch Unit terrnet FAX Kit(A) rity Kit(E) cation Kit(B) Wireless LAN/WiFi Direct)
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security Card Authentication Gigabit Ethernet Boat Embedded OCR / Nut	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini FAX	isher isher	AirPrint, Mopria, KYOG Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, T Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-74 Fax System 12 / In Data Secu Card Authenti IB-50 / IB-35 (802.11 b/g/n) Scan Extension K	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint Is (Standard) Baway, Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Impression PDF, PDF/A Impression PDF/A Impression PDF/A Impression PDF/A Impression PDF/A Impression PDF/A Impression
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security Card Authentication Gigabit Ethernet Boal	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini FAX	isher isher	AirPrint, Mopria, KYOC Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, J. Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-74 Fax System 12 / In Data Secu	EERA Mobile Print ID print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint ss (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Impression PDF/A Impre
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security Card Authentication Gigabit Ethernet Boat Embedded OCR / Nur Storage Device	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini FAX	isher isher	AirPrint, Mopria, KYOC Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, J. Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K IB-50 / IB-35 (802.11 b/g/n/ Scan Extension K HD-12: HDD 320GB (T	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi impression PDF), PDF/A, Searchable PDF (Optional) fext + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan st), 500 groups (Group address list) is (Optional) flin. A5 (Statement) flilling / 33.6kbps tem 12 x 2 units required) reception, duplex fax reception, memory reception, ax with second fax system ons er Type E e-path duplex scan Type; DP-7120: 50 sheets RADF Type F-810: 1,500 sheets x2 (A4/Letter) F-810: 1,500 sheets x2 (A4/Letter) Ti; PH-7C: Punch Unit; MT-730(B): 7 Bin Mail Sorter O: Attachment Kit; PH-7C: Punch Unit ternet FAX Kit(A) rity Kit(E) cation Kit(B) Wireless LAN/WiFi Direct) it(A) / NK-7100 CASKalfa 3212i only) umables
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security Card Authentication Gigabit Ethernet Boat Embedded OCR / Nur Storage Device	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini FAX	isher isher	AirPrint, Mopria, KYOC Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, J. Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint ss (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi printing pression PDF), PDF/A, Searchable PDF (Optional) printing properties of the Wish of
Mobile Printing Print Features Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method / Tran Memory / G3 FAX / N Fax Features Platen Cover Document Processor Paper Feeder Finisher Fax System / Internet Data Security Card Authentication Gigabit Ethernet Boat Embedded OCR / Nur Storage Device	nsmission Speed letwork FAX / Dua 3,000 sheet Fini 1,000 sheet Fini FAX	isher isher	AirPrint, Mopria, KYOC Encrypted PDF Direct Print, IPP printing, e-mail printing, WS proof and hold, private print, job storag Scan Function Auto Color (Color / Gray); Auto Color (Color / 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-cc Text, Photo, J. Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address li Fax Function Max. A3 (Ledger) - N MMR, MR, MH, 170MB / Yes / Yes (Fax Sys Opt. Internet-fax, network faxing, rotate transmission, rotate FAX BOX, remote diagnostic, dual f Opti Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 3,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K DF-7120: 1,000 sheet Finisher; AK-740: Attachment K IB-50 / IB-35 (802.11 b/g/n/ Scan Extension K HD-12: HDD 320GB (T	EERA Mobile Print Di print, secure print, secure printing via SSL, Quick Copy, e management functionality, Airprint is (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi impression PDF), PDF/A, Searchable PDF (Optional) impression PDF, PDF/A, Searchable PDF (Optional) impression PDF, PDF/A, Searchable PDF (Optional) impression PDF/A





12 Tai Seng Street #04-01A Luxasia Building Singapore 534118 Tel : (65) 6741 8733 Fax: (65) 6748 3788 www.KyoceraDocumentSolutions.com.sg

*KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged. @All rights reserved. Brochure/KDAS/201803/TOMCAT3

KYOCERA Business Partner





